



Dell Latitude Rugged



Dell Latitude Rugged

Rugged for the real world

You can't slow down when the job is tough. No matter what challenges the world throws at you, handle them with confidence. Latitude Rugged means extreme durability for world-class reliability in rough conditions.

Productivity anywhere

You need to stay productive and work efficiently even when the elements are working against you. Latitude Rugged is designed for the way you work with features like outdoor-readable displays, glove-capable touch, legacy IO capability and advanced wireless connectivity.

Business-class control

The Dell Latitude Rugged portfolio allows you to take your business to the world's most challenging job sites. Latitude Rugged systems keep you in control of your technology with the same industry-leading security, manageability and reliability as the rest of the Dell Latitude portfolio.



Dell is the only tier one commercial notebook vendor to offer rugged notebooks and tablets.

Dell has it. Panasonic and Getac don't.

Best features for the field

Enabling peak productivity in the worst conditions

	Dell	Panasonic	Getac
Desk and vehicle docks that work seamlessly across the entire Latitude Rugged family of notebooks	✓	✗	✗
A customizable RGB backlit sealed rugged keyboard that easily adjusts to any lighting environment	✓	✗	✗
The Latitude 12 Rugged Extreme features an industry-first rugged flip-hinge for intuitive conversion between notebook and tablet	✓	✗	✗
Cameras covered by a physical shutters to protect user privacy when the camera is not in use	✓	✗	✗

Most Secure

Best-in-class endpoint security solutions from a single source

	Dell	Panasonic	Getac
Comprehensive encryption, advanced authentication and malware protection with Dell Data Protection	✓	✗	✗
Dell ControlVault™ and crypto-accelerator for strong authentication processing and encryption	✓	✗	✗

Most Manageable

Deploy, image, and manage faster with Dell

	Dell	Panasonic	Getac
Easy automation as well as streamlined deployments, monitoring and updates with Dell Client Command Suite	✓	✗	✗
Powerful out-of-band remote management with Intel® vPro™ technology and unique extensions	✓	✗	✗

The best products for the worst conditions

Only from Dell



Latitude 14 Rugged Extreme



Latitude 14 Rugged



Latitude 12 Rugged Extreme



Latitude 12 Rugged Tablet

Dell Latitude 12 Rugged Tablet (7202)

The mobility and utility of a tablet for the worst field conditions



Up to 5th Gen Intel® Core™ M-5Y71	Processor	4th Gen Intel® Core™ i5-4310U	Up to 5th Gen Intel® Core™ i7-5600U	Up to 4th Gen Intel® Core™ i7-4610Y	Intel® Atom™ E3845
Microsoft® Windows® 10, 8.1 and 7	Operating System	Microsoft® Windows® 7 and 8.1	Microsoft® Windows® 10, 8.1 and 7	Microsoft® Windows® 10, 8.1 and 7	Microsoft® Windows® 10, 8.1 and 7
Intel HD Graphics 5300	Graphics	Intel HD Graphics 4400	Intel HD Graphics 5500	Intel HD Graphics 4200	Intel Integrated Mobile Gen7 Graphics
Up to 8GB LPDDR3	Memory	Up to 8GB DDR3L	Up to 8GB DDR3	Up to 8GB DDR3L	4GB DDR3L
11.6" HD (1366 x 768) 16:9 display outdoor-readable	Display	10.1" FHD (1920x1200) 16:10 display outdoor-readable	11.6" HD (1366 x 768) 16:9 display outdoor-readable	12.5" FHD (1920 x 1080) 16:9 display outdoor-readable	10.1" HD (1366 x 768) 16:9 display outdoor-readable
Glove-capable capacitive multi-touch	Touch option	Glove-capable capacitive multi-touch	Glove-capable capacitive multi-touch	Capacitive multi-touch	Capacitive multi-touch
NA	Hard drive option	NA	NA	NA	NA
Up to 512GB SSD Optional 256GB self-encrypting SSD	SSD option	Up to 256GB SSD with heater Optional 256GB self-encrypting SSD	Up to 512GB SSD	Up to 256GB SSD	Up to 256GB SSD
NA	Optical drive	NA	NA	NA	NA
Optional IP65 keyboard cover	Accessory keyboard	Optional third-party IP65 keyboard	Optional third-party keyboard	Optional companion keyboard	Optional third-party keyboard
Up to 12 hours with optional dual battery configuration; optional hot-swap	Battery life	Up to 10 hours; Optional up to 20 hours; optional hot-swap	Up to 12.4 hours; hot-swap	Up to 9 hours; hot-swap	Up to 14 hours with optional dual battery configuration; optional hot-swap
USB 3.0, micro serial port, microSD card reader, stereo audio combo jack Optional Ethernet/2x USB 3.0 module	Input / output	USB 3.0, stereo audio combo jack Optional serial dongle or microSD card reader or second USB 2.0 or Ethernet	USB 3.0, stereo audio combo jack Optional serial dongle or microSD card reader or second USB 2.0 or Ethernet	USB 3.0, SD card, optional serial, stereo audio combo jack	2x USB 3.0, microSD card reader, stereo audio combo jack; Optional serial port
Mini HDMI	Video ports	HDMI	HDMI	HDMI	Micro HDMI
Intel® Dual Band Wireless 7265 802.11ac	Wireless LAN	Intel® Dual Band Wireless 7260 802.11ac	Intel® Dual Band Wireless 7265 802.11ac	Intel® Dual Band Wireless 7260 802.11ac	802.11ac
802.11ac with Bluetooth Optional dedicated GPS	Wireless connectivity and GPS	802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Dedicated GPS
Optional 4G LTE	Mobile Broadband	Optional 4G LTE	Optional 4G LTE	Optional 4G LTE	Optional 4G LTE
Cable lock slot	Physical security	Cable lock slot	Cable lock slot		Cable lock slot
Trusted platform module 1.2	Security chips	Trusted platform module 1.2	Trusted platform module 1.2	Trusted platform module 1.2	Trusted platform module 1.2
Fingerprint reader, smart card reader, contactless smart card reader	Authentication factors	Optional smart card reader, optional contactless smart card reader	Optional fingerprint reader, optional contactless smart card reader	Fingerprint reader	Optional smart card reader
Dell ControlVault™, Dell Security Tools	Security software	Computrace® theft protection in BIOS	NIST BIOS compliant	Optional Computrace® Complete	
3.57 lbs. (1.62 kg) with single battery	Starting weight	2.4 lbs. (1.09 kg) with standard battery	3.08 lbs. (1.39 kg)	2.95 lbs. (1.34 kg)	2.4 lbs. (1.09 kg)
312 mm x 203 mm x 24 mm	Size (metric)	269 mm x 188 mm x 20 mm	314 mm x 207 mm x 24.5 mm	328 mm x 205 mm x 17 mm	281 mm x 180 mm x 220 mm
12.3" x 8.0" x 0.96"	Size (US)	10.6" x 7.4" x 0.8"	12.4" x 8.15" x 0.96"	12.9" x 8.1" x 0.65"	11.05" x 7.07" x 0.86"
MIL-STD-810G, 4 foot drop, IP65, MIL-STD-461F, Hazardous Locations	Rugged certifications	MIL-STD-810G, 4 foot drop, IP65, MIL-STD-461F, Hazardous Locations	MIL-STD-810G, 4 foot drop, IP65, MIL-STD-461F, Hazardous Locations	MIL-STD-810G, 4 foot drop, IP54	MIL-STD-810G, 4 foot drop, IP65, Hazardous Locations, ATEX

Dell Latitude 12 Rugged Tablet unique features:

- Cameras with physical privacy shutter
- Optional sealed keyboard cover with customizable RGB backlight
- More configurable I/O with less compromise
- The most secure, most manageable fully rugged tablet



Why Dell Latitude 12 Rugged Tablet

- Better touch experience with an 11.6" screen and glove-capable touch
- More configurable I/O with less compromise
- Keep more of your data with up to 512GB of SSD storage
- The most secure, most manageable fully rugged tablet

Why Dell Latitude 12 Rugged Tablet

- More configurable I/O with less compromise
- Cameras with physical privacy shutter
- Optional sealed keyboard cover with customizable RGB backlight
- The most secure, most manageable fully rugged tablet

Why Dell Latitude 12 Rugged Tablet

- More rugged with IP65 rating, MIL-STD-461F and Hazardous Locations
- More configurable I/O with less compromise
- Keep more of your data with up to 512GB of SSD storage
- The most secure, most manageable fully rugged tablet

Why Dell Latitude 12 Rugged Tablet

- Better touch experience with an 11.6" screen and glove-capable touch
- More configurable I/O with less compromise
- Keep more of your data with up to 512GB of SSD storage
- The most secure, most manageable fully rugged tablet

Dell Latitude 12 Rugged Extreme (7204)

Compact size and adaptable use modes for the worst field conditions



Up to 4th Gen Intel® Core™ i7-4650U	Processor	6th Gen Intel® Core™ m5-6Y57	5th Gen Intel® Core™ i7-5600U	3rd Gen Intel® Core™ i5-3610ME	
Microsoft® Windows® 10, 8.1 and 7	Operating System	Microsoft® Windows® 10 and 7	Microsoft® Windows® 10, 8.1 and 7	Microsoft® Windows® 7 and 8.1	
Intel HD Graphics 4400/5000	Graphics	Intel HD Graphics 515	Intel HD Graphics 5500	Intel HD Graphics 4000	
Up to 16GB DDR3L	Memory	8GB DDR3L	Up to 8GB DDR3	Up to 16GB DDR3L	
11.6" HD (1366 x 768) 16:9 display outdoor-readable	Display	10.1" WUXGA (1920 x 1200) 16:10 display outdoor-readable	11.6" HD (1366 x 768) 16:9 display outdoor-readable	10.1" XGA (1024 x 768) 4:3 display outdoor-readable	
Resistive multi-touch	Touch option	Gloved multi-touch and digitizer	Capacitive multi-touch	Resistive multi-touch and digitizer	
NA	Hard drive option	NA	NA	500GB 7200rpm HDD with heater	
Up to 512GB SSD Optional 256GB self-encrypting SSD	SSD option	Up to 512GB SSD with heaters	Up to 512GB SSD	Up to 256GB SSD with heaters	
Sealed, customizable RGB backlit keyboard	Keyboard	Sealed keyboard; detachable	Sealed backlit keyboard	Sealed keyboard	
Up to 9.1 hours	Battery life	"Full shift" with second battery	Up to 13.6 hours	Up to 10 hours	
2x USB 3.0, USB 2.0, serial, Ethernet, stereo audio combo jack, SD card reader, optional Express card	Input / output	Tablet: USB 3.0, micro SDXC, Ethernet, audio, optional serial, optional 2nd USB Keyboard: 2x USB 3.0, USB 2.0, SDXC, Ethernet, serial (USB)	2x USB 3.0, USB 2.0, serial, Ethernet, stereo audio combo jack, SD card reader, Express card	USB 3.0, USB 2.0, serial, Ethernet, FireWire, modem, audio in, audio out, SD card reader, Express card	
HDMI, VGA	Video ports	Tablet: HDMI Keyboard: HDMI, VGA	HDMI	VGA	
Intel® Dual Band Wireless 7260 802.11ac	Wireless LAN	Intel Dual Band Wireless 8260 802.11ac	Intel® Dual Band Wireless 7265 802.11ac	Intel® Centrino® 6235 802.11abgn	
802.11ac with Bluetooth Optional dedicated GPS	Wireless connectivity and GPS	Intel 802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Optional dedicated GPS	Intel 802.11abgn and Bluetooth Optional dedicated GPS	
Optional 4G LTE	Mobile Broadband	Optional 4G LTE	Optional 4G LTE	Optional 4G LTE	
Cable lock slot	Physical security	Cable lock slot	Cable lock slot	Cable lock slot	
Trusted platform module 1.2	Security chips	Trusted platform module 1.2	Trusted platform module 1.2	Trusted platform module 1.2	
Optional fingerprint reader, smart card reader, contactless smart card reader	Authentication factors	Optional fingerprint reader/smart card reader/contactless smart card reader	Optional fingerprint reader, optional contactless smart card reader	Optional fingerprint reader, optional smart card reader	
Dell ControlVault™, Dell Security Tools	Security software	DDS theft protection in BIOS	NIST BIOS compliant	Computrace® theft protection in BIOS	
6.0 lbs. (2.72 kg)	Starting weight	3.9 lbs.(1.77 kg) / Tablet: 2.1 lbs.(0.95 kg)	4.36 lbs. (1.98 kg)	5.1 lbs. (2.3 kg)	
311 x 219 x 39 mm	Size (metric)	272 x 234 x 33 mm / Tab:272 x 196x15mm	299 x 223 x 34 mm	216 x 254 x 48 mm	
12.2" x 8.6" x 1.6"	Size (US)	10.7" x 9.2" x 1.3" / Tab: 10.7" x 7.7" x 0.6"	11.7" x 8.78" x 1.34"	8.5" x 10.7" x 1.9"	
MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	Rugged certifications	MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	

Dell Latitude 12 Rugged Extreme unique features:

- Industry-first rugged flip-hinge
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged convertible



Why Dell Latitude 12 Rugged Extreme :

- Larger 11.6" widescreen display
- More powerful processors
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged convertible

Why Dell Latitude 12 Rugged Extreme :

- More available memory
- Industry-first rugged flip-hinge
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged convertible

Why Dell Latitude 12 Rugged Extreme :

- More available memory
- Industry-first rugged flip-hinge
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged convertible

Dell Latitude 14 Rugged Extreme (7404)

The highest levels of durability for productivity in the worst field conditions



Panasonic Toughbook 31	Getac B300	Getac X500
------------------------	------------	------------



Up to 4th Gen Intel® Core™ i7-4650U	Processor	5th Gen Intel® Core™ i5-5300U	Up to 4th Gen Intel® Core™ i7-4610M	Up to 4th Gen Intel® Core™ i7-4610M	
Microsoft® Windows® 10, 8.1 and 7	Operating System	Microsoft® Windows® 7 and 8.1	Microsoft® Windows® 10, 8.1 and 7	Microsoft® Windows® 7 and 8	
Intel HD Graphics 4400/5000 Optional NVIDIA discrete graphics	Graphics	Intel HD Graphics 5500	Intel HD Graphics 4600	Intel HD Graphics 4600 Optional NVIDIA discrete graphics	
Up to 16GB DDR3L	Memory	Up to 16GB DDR3L	Up to 16GB DDR3	Up to 16GB DDR3	
14.0" HD (1366 x 768) 16:9 display outdoor-readable	Display	13.1" XGA (1024 x 768) 4:3 display outdoor-readable	13" XGA (1024 x 768) 4:3 display outdoor-readable	15.6" FHD (1920 x 1080) 16:9 display outdoor-readable	
Resistive touch	Touch option	Resistive touch	Resistive touch	Optional resistive touch	
NA	Hard drive option	500 GB 7200rpm HDD with heater	500 GB HDD	500 GB HDD	
Up to 1TB SSD Optional 256GB self-encrypting SSD	SSD option	Up to 512GB SSD with heater	Up to 512GB SSD	Up to 1 TB SSD	
Optional DVD+/-RW	Optical drive	Optional DVD Super MULTI Drive	Optional super multi DVD	Super multi-DVD	
Sealed, customizable RGB backlit keyboard	Keyboard	Sealed, backlit keyboard	Sealed, backlit keyboard	Sealed, backlit keyboard	
Up to 14 hours with 9-cell battery	Battery life	Up to 18 hours with optional 2nd battery	Up to 15 hours	Not specified	
2x USB 3.0, 2x USB 2.0, 2x serial, 2x Ethernet, stereo audio combo jack, SD card reader, Express card	Input / output	USB 3.0, 3x USB 2.0, serial, Ethernet, opt FireWire, audio in, audio out, SD card reader, Express card	USB 3.0, 2x USB 2.0, 2x serial, Ethernet, eSATA, opt FireWire, audio in + out, SD card reader, Express card	2x USB 3.0, 2x USB 2.0, 2x serial, 2x Ethernet, eSATA, opt FireWire, audio in + out, SD card reader, Express card	
HDMI, VGA	Video ports	HDMI, VGA	HDMI, VGA	HDMI, VGA	
Intel® Dual Band Wireless 7260 802.11ac	Wireless LAN	Intel® Dual Band Wireless 7265 802.11ac	Intel® Dual Band Wireless 7260 802.11ac	Intel® Dual Band Wireless 7260 802.11ac	
802.11ac with Bluetooth Optional dedicated GPS	Wireless connectivity and GPS	802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Optional dedicated GPS	
Optional 4G LTE	Mobile Broadband	Optional 4G LTE	Optional 4G LTE	Optional 4G LTE	
Cable lock slot	Physical security	Cable lock slot	Cable lock slot	Cable lock slot	
Trusted platform module 1.2	Security chips	Trusted platform module 1.2	Trusted platform module 1.2	Trusted platform module 1.2	
Optional fingerprint reader, smart card reader, contactless smart card reader	Authentication factors	Optional fingerprint reader, optional smart card reader	Fingerprint reader	Fingerprint reader, smart card reader	
Dell ControlVault™, Dell Security Tools	Security software	Computrace® theft protection in BIOS	NIST BIOS compliant		
7.79 lbs. (3.54 kg) with 6-cell battery	Starting weight	7.9 lbs.	7.7 lbs. (3.5 kg)	11.4 lbs. (5.2 kg)	
356 x 247 x 52 mm	Size (metric)	292 x 302 x 74 mm	303.5 x 263 x 60 mm	410 x 290 x 65 mm	
14.0" x 9.7" x 2.03"	Size (US)	11.5" x 11.9" x 2.9"	11.9" x 10.35" x 2.36"	16.1" x 11.4" x 2.5"	
MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	Rugged certifications	MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	MIL-STD-810G, 6 foot drop, IP65, MIL-STD-461F, Hazardous Locations	

**Dell Latitude 14 Rugged Extreme
unique features:**

- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged notebook



Why Dell Latitude 14 Rugged Extreme :

- Larger 14.0" widescreen display
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged notebook

Why Dell Latitude 14 Rugged Extreme :

- Larger 14.0" widescreen display
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged notebook

Why Dell Latitude 14 Rugged Extreme :

- Lighter and more compact
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable fully rugged notebook

Dell Latitude 14 Rugged (5404)

Best value notebook
for performance
and durability in
the field



Panasonic Toughbook 54	Panasonic Toughbook 53	Getac S400
------------------------	------------------------	------------



Up to 4th Gen Intel® Core™ i7-4650U	Processor	5th Gen Intel® Core™ i5-5300U	4th Gen Intel® Core™ i5-4310U	4th Gen Intel® Core™ i5-4210M	
Microsoft® Windows® 10, 8.1 and 7	Operating System	Microsoft® Windows® 10, 8.1 and 7	Microsoft® Windows® 7 and 8.1	Microsoft® Windows® 10, 8.1 and 7	
Intel HD Graphics 4400/5000 Optional NVIDIA discrete graphics	Graphics	Intel HD Graphics 5500 Optional AMD discrete graphics	Intel HD Graphics 4400	Intel HD Graphics 4600	
Up to 16GB DDR3L	Memory	Up to 16GB DDR3L	Up to 8GB DDR3L	Up to 16GB DDR3L	
14.0" HD (1366 x 768) 16:9 display outdoor-readable	Display	14" FHD (1920 x 1080) 16:9 display outdoor-readable	14.0" HD (1366 x 768) 16:9 display outdoor-readable	14.0" HD (1366 x 768) 16:9 display outdoor-readable	
Optional resistive touch	Touch option	Optional glove-capable multi-touch	Optional touch	Optional multi-touch	
500GB 5400rpm HDD up to 1TB SSHD	Hard drive option	Up to 1TB 7200rpm HDD (w opt heater)	Up to 500GB 7200rpm HDD (opt heater)	Up to 500GB HDD	
Up to 1TB SSD Optional 500GB self-encrypting SSD	SSD option	Up to 256GB SSD with optional heater Optional 2nd drive up to 256GB SSD	Up to 512GB SSD with optional heater	Up to 512GB SSD	
Optional DVD+/-RW	Optical drive	Optional DVD Super MULTI Drive	DVD Super MULTI Drive	Optional Super multi DVD	
Sealed, customizable RGB backlit keyboard	Keyboard	Sealed, backlit keyboard	Sealed keyboard with optional backlight	Sealed keyboard with optional backlight	
Up to 14 hours with 9-cell battery	Battery life	Up to 18 hours with optional 2nd battery	Up to 15 hours (Elite model)	Not specified	
2x USB 3.0, 2x USB 2.0, 2x serial, 2x Ethernet, stereo audio combo jack, SD card reader, Express card	Input / output	3x USB 3.0, optional USB 2.0, optional serial, Ethernet (optional 2nd), Fischer, stereo audio combo jack, SD card reader	2x USB 3.0, 2x USB 2.0, serial, Ethernet (opt 2nd), opt FireWire, opt modem, audio in, audio out, SD card, Express	3x USB 3.0, USB 2.0, serial, Ethernet, eSATA, audio in + out, SD card reader	
HDMI, VGA	Video ports	HDMI, optional VGA	HDMI, VGA	HDMI, VGA	
Intel® Dual Band Wireless 7260 802.11ac	Wireless LAN	Intel® Dual Band Wireless 7265 802.11ac	Intel® Dual Band Wireless 7260 802.11ac	Intel® Dual Band Wireless 7260 802.11ac	
802.11ac with Bluetooth Optional dedicated GPS	Wireless connectivity and GPS	802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Optional dedicated GPS	802.11ac with Bluetooth Optional dedicated GPS	
Optional 4G LTE	Mobile Broadband	Optional 4G LTE	Optional 4G LTE	Optional 4G LTE	
Cable lock slot	Physical security	Cable lock slot	Cable lock slot	Cable lock slot	
Trusted platform module 1.2	Security chips	Trusted platform module 1.2	Trusted platform module 1.2	Trusted platform module 1.2	
Optional fingerprint reader / smart card reader / contactless smart card reader	Authentication factors	Optional fingerprint reader / smart card reader / contactless smart card reader	Optional fingerprint reader / smart card reader / contactless smart card reader	Fingerprint reader, smart card reader	
Dell ControlVault™, Dell Security Tools	Security software	Computrace® theft protection in BIOS	Computrace® theft protection in BIOS	NIST BIOS compliant	
6.5 lbs. (2.95 kg)	Starting weight	4.2 lbs. (1.9 kg) (Lite model)	5.6 lbs. (2.54 kg) (Lite model)	6.4 lbs. (2.9 kg)	
347 x 243 x 44.4 mm	Size (metric)	272 x 345 x 30 mm	282 x 340 x 46-56 mm	348 x 258 x 49.2 mm	
13.66" x 9.57" x 1.73"	Size (US)	10.7" x 13.6" x 1.2"	11.1" x 13.4" x 1.8-2.2"	13.7" x 10.15" x 1.93"	
MIL-STD-810G, 3 foot drop, IP52	Rugged certifications	MIL-STD-810G, 3 foot drop, IP51	MIL-STD-810G, 3 foot drop	MIL-STD-810G, 3 foot drop, IP5x	

**Dell Latitude 14 Rugged
unique features:**

- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable rugged notebook



Why Dell Latitude 14 Rugged:

- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable rugged notebook

Why Dell Latitude 14 Rugged:

- Optional discrete graphics
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable rugged notebook

Why Dell Latitude 14 Rugged:

- Optional discrete graphics
- Docking compatible with the entire Latitude Rugged family of notebooks
- RGB backlit sealed keyboard
- Webcam with physical security shutter
- The most secure, most manageable rugged notebook